Vulcan 900 Classic 2011



Specifications:

VN900BBFA	
Engine Type	4-Stroke, Liquid-Cooled, 4-Valve V-Twin Cylinder
Displacement	903 cm ³
Bore & Stroke	88.0 x 74.2 mm
Compression Ratio	9.5:1
Fuel System	Fuel Injection 2 x 34 mm with dual throttlles
Ignition	Digital
Transmission	5-Speed
Rake/Trail	32°/ 164 mm
Front Wheel Travel	150 mm
Rear Wheel Travel	100 mm .
Front Tire Size	130/90-16
Rear Tire Size	180/70-16
Front Suspension	41mm Hydraulic Telescopic Fork
Rear Suspension	Uni-Trak with 7-way Adjustable Spring Preload
Wheelbase	1,645 mm
Front Brake	300 mm single disc with Twin-piston calliper
Rear Brake	270 mm single disc with Twin-piston calliper
Fuel Tank Capacity	20 litres
Ground Clearance	135 mm
Seat Height	680 mm
Curb Mass	281 kg (Includes full fuel tank and all fluids at correct levels)
Colour	Ebony (H8)
(Specifications subject to c	hange without notice) (Images may show overseas model)

(Specifications subject to change without notice.) (Images may show overseas model)







Keep the good times rolling.

Key Features:



03 cm³, V-Twin, Liquid-Cooled Engine



Bridgestone White Wall Tyres



Special Stripes on Fenders and Tank



Keep the good times rolling.

2011 VULCAN 900 CLASSIC

The new Vulcan 900 Classic Special Edition raises the standards for the mid-size cruiser class with white walled tyres and custom stripes on the fenders and fuel tank for a long and low appearance. It has the largest engine in its class with the highest power and torque that provides tremendous roll-on acceleration to satisfy seasoned riders. The Vulcan 900 Classic's Special Edition styling is high-lighted by a long and low chassis. It will fit in with, and outperform, many larger cruisers while offering better value and easier maneuverability.

903cm³ V-Twin, SOHC Engine

- Tuned to deliver lots of torque from low rpm.
- Smooth and reliable.

• Gear-driven balancer allows use of single pin crankshaft without the heavy vibration.

4-Valve Cylinder Head

• Better breathing for more power and low-end torque.

• Single overhead cam design is simple, lightweight, and practical.

• Extremely efficient intake tracts feature ports that narrow near the combustion chamber to increase intake flow speed for more efficient filling and increased torque.

• Long intake tracts for great low-end response.

Liquid and Air Cooling

• Finned cylinders and heads combine with liquid cooling to provide exceptional thermal control.

• Maintains consistent engine temperatures for long engine life and sustained power.

• Automatic fan keeps things cool even in traffic.

• Includes temperature warning light.

Concealed Automatic Cam Chain Tensioner

Maintains precise valve timing without maintenance.

- Assures greater reliability.
- Hidden from view to preserve the engine's clean, basic look.

Rubber-Mounted Engine

• Eliminates engine vibration at all speeds.

Dual Slash-Cut Mufflers

• Big slash-cut mufflers look great even on the sidestand.

Positive Neutral Finder

• Just lift the shift pedal from first gear at a stop to find neutral easily, every time.

A Kawasaki exclusive.

Electronic Fuel Injection

• Dual throttle bodies with sub throttles provide optimum performance and rideability. The sub throttles, located behind the main throttle valve, are controlled by the ECU so that the DFI system retains more precise throttle response, similar to a constant velocity carburetor.

• Fine-atomising fuel injectors produce a fine fuel mist for

better acceleration, combustion and fuel consumption. **Belt Drive**

• Lower unsprung weight than shaft drive to improve ride quality and suspension action.

• More efficient so more power reaches the rear wheel.

• Low maintenance and low noise.

Double Cradle Frame

• Large-diameter box section backbone is very rigid, allows use of a larger fuel tank, and helps contribute to high stability and lightweight handling at low speeds.

•Triangular swingarm appears to be a hard tail design, but acts on a single shock hidden beneath the seat.

• Long and low for minimal seat height, maximum visual impact.

• Fork offset and frame geometry combine for light, low-effort handling at ultra-low speeds.Long wheelbase adds to highway stability.

Low Stepped Seat

• Ultra-low 630 mm seat height allows riders to easily plant both-feet on the ground at stops.

• Laid-back riding comfort for two.

Tank-Mounted Speedometer with Turn Signal Indicators and Caution Lamps

- Gives you the information you need at-a-glance.
- Compact design complements the bike's clean look

Push-to-Cancel Turn Signals

• No fumbling, just a simple push on the switch cancels the turn signals.

41mm Front Fork

- Excellent rigidity and 150 mm inches of travel.
- 32° rake angle for excellent straight line ability.
- Wide fork pitch for classic look.

Front and Rear Disc Brakes

• A 300mm front and 270mm rear disc have twin-piston calipers for some of the best stopping power in the class.

Spoke Custom Wheels

• Chromed steel rims and spokes."Spool-style" polished aluminum front hub.

Wide Rear Tire

• 180mm rear tire provides added stability while projecting a powerful image.

• Wider tire than that found on most large-displacement cruisers.

• White wall Bridgestone tyres provide a custom appearance. **Styling**

• With custom stripes on both fenders and the fuel tank they provide a new custom appearance.

* New for 2011

• New Bridgestone white wall tyres and custom stripes added to the fuel tank and the front and rear fenders.

• Up to 48 months of the Kawasaki Factory Warranty is now available for this model; conditions apply.

• See your Kawasaki Dealer for details on how you can take advantage of the Kawasaki Extended Warrany for additional peace of mind.

Authentic Kawasaki Accessories

See the current applicable Kawasaki accessory catalog or www.kawasaki.com.au for all of the latest Authentic Kawasaki Accessories available for this model.





Keep the good times rolling.





Keep the good times rolling

